See Matsuki, N.
Ishii, Y.
See Muramatsu, M.
Ishikawa, M., Takayanagi, G. and Sasaki, K.
Enhancement of selenium lethality by BSO 283
Ito, Keizo
See Iwamoto, T.
Itoh, E.
See Hata, T.
Itoh, Katsumi
See Inada, Y.
Iwabuchi, Y., Aoki, C. and Masuhara, T.
Choline esters on submandibular gland 175
Iwamoto, T., Morita, T., Kanazawa, T., Ohtaka, H. and Ito, Keizo
KB-2796 and [^{3}H]nitrendipine binding 241

Kaji, T.
See Matsuki, N.
Kakihana, M., Suno, M. and Nagaoka, A.
Antihypertensive effect of CV-4093 223
Kanazawa, T.
See Iwamoto, T.
Kanno, M.
See Nakaya, H.
Karaki, H.
See Satoh, T.
Kasai, H.
See Yanagihara, Y.
Kawabata, A.
See Hata, T.
Kawabata, Y.
See Kontani, H.
Kawanishi, G.
See Nakahara, N.
Kawarai, M. and Chiba, S.
Vascular response to clonidine and cooling 510
Kawashima, T.
See Yanagihara, Y.
Kifune, A.
See Hayashi, T.
Kigoshi, S.
See Yamanaka, K.
Kimura, I.
See Kimura, M.
See Kondoh, T.
Kimura, I., Pancho, L.-R., Shioiri, T. and Kimura, M.
Suppression of Ca^{2+} spike by (±)-[6]-gingerol 257
Kimura, K.
See Mizokawa, T.
Kimura, M.
See Kimura, I.
See Kondoh, T.
Kimura, M., Muroi, M., Kimura, I., Sakai, S. and Kitagawa, I.
Hypaconitine, neuromuscular blocker 290
Kinoshita, K.
See Yamamura, M.
Kita, T.
See Hata, T.
Kitagawa, H.
See Saha, A.R.
Kitagawa, I.
See Kimura, M.
Kitamura, Y.
See Kojima, Michio
Kitayoshi, T.
See Shibouta, Y.
Kitoh, G.
See Shibouta, Y.
Kobayashi, S.
See Fujii, A.
Koda, A.
See Mori, H.
Kohjimoto, Y., Ogawa, T., Matsumoto, Masahiro, Shirakawa, K., Kuwaki, T., Yasuda, H., Anami, K., Fujii, T., Satoh, H. and Ono, T.
Acetyl-L-carnitine and aged rats 365
Koike, H.
See Oizumi, K.
Kojima, Masayoshi
See Asano, Masahisa
Koiima, Michio, Kitamura, Y., Nomura, Y., Sada, H. and Sperelakis, N.
Ontogeny of cardiac GTP-binding proteins 23
Komatsu, K.
See Mizusawa, S.
Kondoh, T., Kimura, I. and Kimura, M.
TTX-sensitive high K^+-induced ^{86}Rb efflux 294
Kondoh, Y.
See Mizusawa, S.
Kontani, H. and Kawabata, Y.
Morphine on urinary bladder motility 31
Kubota, K.
See Matsuoka, Y.
See Sugaya, K.
Kubota, K., Sugaya, K. and Hotta, K.
Cimetidine and prostanoids production 491
Kuboyama, N.
See Fujii, A.
Kudoh, Y.
See Mizusawa, S.
Kuno, T.
See Sakaue, M.
Kuribara, H. and Tadokoro, S.
Anticholinergic drugs and rat's drinking 195
Drugs and avoidance acquisition 494
Kuwaki, T.
See Kohjimoto, Y.
Kuzuya, T.
See Ruttikorn, A.

Lee, H.-S.

See Wong, P.T.-H.

Maimets, M.O.
See Sugaya, K.
Masada, A.
See Ichida, S.
Masuhara, T.
See Iwabuchi, Y.
Masuzawa, K.
See Asano, Masahisa
Matsuda, N.
See Ichida, S.
Matsuda, T.
See Asano, Masahisa
Matsuki, N.
See Higo, K.
Matsuki, N., Ueno, S., Kaji, T., Ishihara, A., Wang, C.-H. and Saito, H.
Chemotherapy-induced emesis in suncus 303
Matsumoto, Machiko
Sympathoinhibitory action of ketanserin 57
Matsumoto, Masahiro
See Kohjimoto, Y.
Matsuoka, T.
See Satoh, S.
Matsuoka, Y., Sakuma, M., Sugioka, T., Terawaki, Y., Uruno, T. and Kubota, K.
Antinociception by phenylethylamines 263
Matsushita, Y.
See Oizumi, K.
Misawa, M.
Experimental rhinitis model 15
Misawa, M. and Takata, T.
Effect of PAF on rat airways 7
Misu, Y.
See Yasuda, G.
Miyamoto, K.
See Ruttikorn, A.
Miyamoto, M.
See Oizumi, K.
Miyazaki, M.
See Toda, N.
Mizobe, F.
See Nakahara, N.
Mizokawa, T., Kimura, K., Ikoma, Y., Hara, K., Oshino, N., Yamamoto, T. and Ueki, S.
Rolipram suppresses muricide in OB rat 357
Mizusawa, S., Kondoh, Y., Murakami, M., Nakamichi, H., Sasaki, H., Komatsu, K., Takahashi, A., Kudoh, Y., Watanabe, Katsuhiro, Ono, Yukihiko and Uemura, K.
Methotrexate on local CBF 499
Mori, H., Xu, Q., Sakamoto, O., Uesugi, Y., Ono, Yutaka, Koda, A. and Nishioka, I.
Meth A-induced DTH and Chinese herbs 37
Morita, T.
See Iwamoto, T.
Moriyama, M.
See Gomita, Y.
Murakami, M.
See Mizusawa, S.
Murakami, T.
See Ichida, S.
Muramatsu, I.
See Yamanaka, K.
Muramatsu, M., Fujita-Tominaga, A., Tanaka, M., Ishii, Y. and Aihara, H.
CD-349 binding to Ca-channel 453
Muroi, M.
See Kimura, M.

Nadai, M.
See Ruttikorn, A.
Nagaoka, A.
See Kakihana, M.
Nakagawa, H.
See Yamamura, M.
Nakahara, N., Iga, Y., Mizobe, F. and Kawanishi, G.
Alleviation of memory deficits by AF102B 502
ICV injection of AF64A in rats 121
Nakajyo, S.
See Hori, M.
Nakamichi, H.
See Mizusawa, S.
Nakane, T. and Chiba, S.
DN-9693 on coronary artery 507
Nakaya, H., Tohse, N. and Kanno, M.
Class I effects of pirmenol 423
Nakaya, M.
See Hori, M.
Namiki, Y.
See Fujii, A.
Nishikawa, K.
See Inada, Y.
See Shibouta, Y
Nishimura, Y.
See Hata, T.
Nishino, H.
See Oizumi, K.
Nishino, N., Fujiwara, H., Noguchi-Kuno, S.A. and Tanaka, C.
$GABA_A$ receptors in Parkinson's disease 331
Nishioka, I.
See Mori, H.
Noda, K.
See Hori, M.
Noguchi-Kuno, S.A.
See Nishino, N.
Nomoto, T.
See Fujii, E.
Nomura, Y.
See Kojima, Michio

Obata, T., Egashira, T. and Yamanaka, Y.
Amine oxidase activity in plasma by hepatotoxins 142
Ochiai, T.
See Yamamura, M.
Ogawa, K.
See Ruttikorn, A.
Ogawa, T.
See Kohjimoto, Y.
Ohkubo, C.
See Asano, Makishige
Ohmori, S.
See Saha, A.R.
Ohno, Y.
See Hirose, A.
Ohtaka, H.
See Iwamoto, T.
Oizumi, K., Koike, H., Sada, T., Miyamoto, M., Nishino, H., Matsushita, Y., Iijima, Y. and Yanagisawa, H.
ACE inhibitor with thiazepin ring 349
Oka, H.
See Ichida, S.
Okazaki, M., Zhang, L., Suzuki, M. and Sakamoto, K.
CCl_4 and platelet function 407
Okuma, Y.
See Yokotani, K.
Ono, T.
See Kohjimoto, Y.
Ono, Yukihiko
See Mizusawa, S.
Ono, Yutaka
See Mori, H.
Oshino, N.
See Mizokawa, T.
Osumi, Y.
See Yokotani, K.
Oyama, R.
See Hata, T.

Pancho, L.-R.
See Kimura, I.

Ruttikorn, A., Takagi, K., Nadai, M., Kuzuya, T., Ogawa, K., Miyamoto, K. and Hasegawa, T.
1-Methyl-3-propylxanthine 341

Sada, H.
See Kojima, Michio
Sada, T.
See Oizumi, K.
Saha, A.R., Ueno, K., Ohmori, S., Igarashi, T. and Kitagawa, H.
Heptaminol AMP and T cell function 417
Saito, H.
See Higo, K.
See Matsuki, N.
Sakai, K.
See Aono, J.
Sakai, S.
See Kimura, M.
Sakamoto, K.
See Okazaki, M.
Sakamoto, O.
See Mori, H.
Sakaue, M., Kuno, T. and Tanaka, C.
Monoclonal antibody against cyclic GMP 47
Sakuma, M.
See Matsuoka, Y.
Sasa, M.
See Hirose, A.
Sasaki, A.
See Asano, Makishige
Sasaki, H.
See Mizusawa, S.
Sasaki, K.
See Ishikawa, M.
Satoh, H.
See Kohjimoto, Y.
Satoh, S., Matsuoka, T., Suzuki-Kusaba, M. and Chiba, K.
Cilazaprilat on renal NE release 287
Satoh, T. and Karaki, H.
PG-release in aorta by ouabain 249
Shibouta, Y., Kitayoshi, T., Kitoh, G. and Nishikawa, K.
Ca^{++}-channel blocker, CV-4093·2HCl 463
Shida, T.
See Yanagihara, Y.
Shimada, A., Tsuda, T. and Yanagita, T.
Morphine potentiation by cocaine 185
Shimizu, K.
See Hori, M.
Shioiri, T.
See Kimura, I.
Shirakawa, K.
See Kohjimoto, Y.
Shuntoh, H.
See Hashimoto, S.
Sperelakis, N.
See Kojima, Michio
Sugaya, K.
See Kubota, K.
Sugaya, K. and Kubota, K.
Anthramycin, a new CCK antagonist 1
Sugaya, K., Maimets, M.O. and Kubota, K.
Interaction of ceruletide and apomorphine 131
Sugihara, H.
See Inada, Y.
Sugimoto, Y.
See Yamada, J.
Sugioka, T.
See Matsuoka, Y.

Sugiyama, A.
See Hashimoto, K.
Suno, M.
See Kakihana, M.
Sutoo, D.
See Akiyama, K.
Suzuki, M.
See Okazaki, M.
Suzuki-Kusaba, M.
See Satoh, S.

Tadokoro, S.
See Hayashi, T.
See Kuribara, H.
Takagi, K.
See Ruttikorn, A.
Takahashi, A.
See Mizusawa, S.
Takaori, S.
See Hirose, A.
Takata, T.
See Misawa, M.
Takayanagi, G.
See Ishikawa, M.
Tamura, T.
See Fujii, A.
Tan, S.-F.
See Wong, P.T.-H.
Tanabe, M.
See Inada, Y.
Tanaka, C.
See Hashimoto, S.
See Nishino, N.
See Sakaue, M.
Tanaka, M.
See Muramatsu, M.
Taniyama, K.
See Hashimoto, S.
Terawaki, Y.
See Matsuoka, Y.
Toda, N., Miyazaki, M. and Hazama, F.
Vascular function in atherosclerotic monkey 441
Tohse, N.
See Nakaya, H.
Tsuda, T.
See Shimada, A.

Ueki, S.
See Mizokawa, T.
Uemura, K.
See Mizusawa, S.
Ueno, K.
See Saha, A.R.
Ueno, S.
See Matsuki, N.
Uesugi, Y.
See Mori, H.
Urakawa, N.
See Hori, M.
Uruno T.
See Matsuoka, Y.

Wakita, H.
See Yamada, J.
Wang, C.-H.
See Matsuki, N.
Watanabe, Katsuhiro
See Mizusawa, S.
Watanabe, Kozo
See Hashimoto, K.
Wong, P.T-H., Tan, S.-F. and Lee, H.-S.
N-Demethylation of phenytoin derivatives 473

Xu, Q.
See Mori, H.

Yamada, J., Sugimoto, Y., Wakita, H. and Horisaka, K.
Serotonin-induced hypothermia in mice 145
Yamamoto, T.
See Mizokawa, T.
Yamamura, M., Nakagawa, H., Kinoshita, K., Ochiai, T. and Ishida, R.
Behavioral pharmacology of mafoprazine 203
Yamanaka, K., Muramatsu, I. and Kigoshi, S.
TNM and muscarinic receptors 67
Yamanaka, Y.
See Obata, T.
Yanagihara, Y., Kasai, H. and Shida, T.
Inhibition of histamine release by TBX 103
Yanagihara, Y., Kasai, H., Kawashima, T. and Shida, T.
PCA inhibitory activity of TBX 91
Yanagisawa, H.
See Oizumi, K.
Yanagita, T.
See Shimada, A.
Yasuda, G. and Misu, Y.
Prostaglandins on adrenergic transmission 153
Yasuda, H.
See Kohjimoto, Y.
Yokotani, K., Okuma, Y. and Osumi, Y.
DQ-2511 and acid secretion 299

Zhang, L.
See Okazaki, M.

SUBJECT INDEX

Abnormal behavior 479
Acetylcholine 331, 441
Aconite 290
Action potential 423
Adrenal medulla (bovine) 67
Adrenal sympathetic nerve activity 57
Adrenergic alpha-2-adrenoceptors 299
α-Adrenoceptor 77
α_1-Adrenoceptor antagonists 229
AF64A 121, 502
Aged rats 365
Amine oxidases 142
Amphetamine 263
Analgesic effect 165
Angiotensin converting enzyme (ACE) 323
Angiotensin converting enzyme inhibitor 349
Antagonism 1
Anthramycin 1
Anti-allergic action 91, 103
Anticonvulsant 473
Antidepressant 357
Anti-inflammatory drugs 317
Antinociception 263
Antinociceptive 165, 185
Antitumor activity 37
Aorta (rat) 249
Apomorphine 131
ATP-release 407
Autonomic imbalance 479
Autoradiography 1, 131, 499
Azaperone 203

Brain (human) 331
Brain stimulation 137
Bronchoconstriction 7
Buthionine sulfoximine 283

Ca^{2+}-channel 213, 395
Ca^{2+} spike suppression 257
Calcium 157
Calcium antagonist 223, 241, 307, 453
Calcium channel binding 453
Calcium channel blocker 77, 463
Calmodulin 157
Calmodulin antagonist 77, 157
Cancer chemotherapeutic agents 303
Cannula inserting method 507
Capillary permeability 15
Cataleptogenic activity 203
Caudate nucleus 435
CCK 1
CCl_4-induced liver injury 407
CD-349 453
Cerebrovascular permeability 373
Ceruletide 131
ChAT activity 121
Chemical mediators 15
Chinese herb 37
Cholera toxin and pertussis toxin substrates 23
Cholesterol-fed monkey 441
Choline esters 175
Cholinergic hypofunction 121
Cilazaprilat 287
Cimetidine 491
Clonidine 510
Cocaine 185
Congestion-hemorrhage index 317
ω-Conotoxin 395
Contractile response 395
Converting enzyme inhibitor 287
Cooling 510
Coronary artery (dog) 507
CS-622 349
CV-4093·2HCl 223, 463
CV-5975 323
Cyclic GMP 47

N-Demethylation 473
2-Deoxyglucose 131
[^{14}C] 2-DG autoradiogram 137
Diazepam 1
Dihydropyridines 213
Diphenylpiperazines 241
Discrete two-way shuttle avoidance 494
Disopyramide 423
DN-9693 507
Dopamine 145
Drinking behavior 195
Drug interaction(s) 7, 185

Ear artery (dog) 510
Ear chamber (rabbit) 149
Emesis 303
Emotional behavior 365
Enalapril (MK-421) 323, 349
Enalaprilat (MK-422) 323
Endothelium-derived relaxing factor (EDRF) 249
Enteric neuron 377
Escape lever pressing 137

Fighting behavior 203
Franidipine hydrochloride 463

GABA 165, 331
Gastric acid output 299
Gastric damage 317

Gastroscope 317
(±)-[6]-Gingerol 257
(±)-[8]-Gingerol 257
Glutaraldehyde 47
Glycoprotein species 175
GTP-binding proteins 23
Guanine nucleotide 213

Haloperidol 387
Heart (rat) 23
Helper T cell 417
Hepatic glutathione 283
Hepatotoxin 142
Heptaminol AMP amidate 417
High-K^+ 113
Hippocampus 121
Histamine release 103
Histological change 441
Hypaconitine 290
Hypotensive effect 223
Hypotensive response 229
Hypothermia 145

IgE 91, 103
IgG 91
Ileum 113
Immunocytochemistry 47
Immunomodulation 417
Inhalation 7
Intravital-microscopy 149

K^+-depletion 249
K^+-induced ^{86}Rb efflux 294
K^+-induced relaxation 294
KB-2796 241
Ketanserin 57

Learning behavior 121
Lipofuscin 365
Lithium ion 113
Liver injury 142
Local cerebral blood flow 499
Lymphocyte 417

M_1 muscarinic agonist 502
Mafoprazine 203
Mannitol 373
Mast cell 103
Mesenteric artery 441
Meth A tumor-induced delayed type hypersensitivity 37
Methotrexate 373, 499
N-Methyl derivatives 473
1-Methyl-3-propylxanthine 341
Microcirculation 149
Micturition center 31
Monoclonal antibody 47
Morphine 31, 185
Mucosal blood flow 299
Muricide 357
Muscarinic anticholinergic drugs 195
Muscarinic receptors 67
Myocardium 453

Naloxone 31
Nasal congestion 15
Neuroleptics 203
Neuromuscular blocking action 290
Neurotropin 165
Nicardipine 373
[^{3}H]Nitrendipine 241
Nitroglycerin 373
^{1}H-NMR 157
Noradrenaline 263, 435
Noradrenergic pathway 57

Olfactory bulbectomy 357
Ontogenesis 23
Open-field test 479
Opioid receptors 185
Ouabain 249, 377
Oxiracetam 494

Pain 165
Parkinson's disease 331
Passive avoidance 502
Passive cutaneous anaphylaxis (PCA) 91
$PGF_{2\alpha}$ 153
PGI_2 153
Pharmacokinetics 341
Phenylethanolamine 263
Phenylethylamine 263
Phenytoin 473
Phorbol ester 377
Phosphodiesterase inhibitor 357
Phosphorylase *a* activity 307
Picryl chloride-induced delayed type hypersensitivity 37
Piracetam 494
Pirmenol 273, 423
Plasma concentration 273
Platelet aggregation 407
Platelet-activating factor (PAF) 7
Portal vein (mouce) 257
Prazosin 229
Pregnancy 391
Presynaptic inhibitory PGE_1 and PGE_2 receptive sites 153
Prolactin 387
Prostaglandins 249
Prostanoid production 491

/-Quinuclidinyl benzilate 67

Receptor 331
Relaxant effect 341
Renal norepinephrine release 287
Rhinitis 15
Rolipram 357

Salivation 175
Selenium 283
Serotonergic pathway 57
Serotonin (5-HT) 145, 441
SGB-1534 229
Single neuron 435
Single sucrose gap method 257
Smooth muscle 213
Sodium channel 423
Species differences 113
Spontaneous movement 479
Spontaneously hypertensive rats 77
Stomach 491
Stomach fundus 395
Streptozotocin 391
Stress 479
Submandibular gland cells 175
Suncus murinus 303
Suppressor T cell 417

TBX 91, 103
Tetranitromethane 67
Thiazepin ring 349
L-Threo-DOPS 435
Transmembrane signaling system 23
TTX sensitivity 294

Ulcer index 317
Urinary bladder 31
Uterine segments 307
Uterus 395

Vas deferens (rat) 213
Vasoconstriction 77
Ventricular arrhythmia 273
Ventricular muscle 423
Vertebral blood flow 241
Vesicular and non-vesicular release 377

Water non-deprived rats 195
Whole blood aggregometer 407

Xanthine bronchodilator 341